

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In Re Patent of:	K.T. Venkateswara Rao	Docket No.:	50623.409
		Serial No.:	10/668,077
Patent No:	7,435,255 B1	Filing Date:	September 22, 2003
Issued:	October 14, 2008		
For:	Drug-Eluting Stent and Methods of Making Same		
ATTN: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450			

**REQUEST FOR CERTIFICATE OF CORRECTION**


Dear Sir:

Pursuant to 37 C.F.R. §1.322, the Assignee respectfully requests the issuance of a Certificate of Correction for Patent No 7,435,255 B1. A proposed Certificate of Correction is enclosed.

It is believed that the errors were incurred through the fault of the Patent Office and the mistake is clearly disclosed in the records of the Office. Therefore, no fee is required. If a Certificate of Correction is believed to be an incorrect approach, the Commissioner is requested to treat this as a Certificate of Correction of Applicant's Mistake under 37 C.F.R. §1.323. The fee required under §1.20(a) should be charged to Deposit Account 07-1850.

Respectfully submitted,

Dated: April 9, 2010

  
Cameron K. Kerrigan  
Attorney for Applicants  
Registration No. 44,826

Squire, Sanders & Dempsey L.L.P.  
One Maritime Plaza, Suite 300  
San Francisco, CA 94111  
Tel (415) 954-0200  
Fax (415) 393-9887

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO: 7,435,255 B1

DATED: October 14, 2008

INVENTOR(S): K.T. Venkateswara Rao

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the first page, above the Inventor information change the title to read:

--(54) -- DRUG - ELUTING STENT AND METHOD OF MAKING SAME--.

On the first page, below the Inventor information change the assignee to read:

--(73) Advanced Cardiovascular Systems, Inc., Santa Clara, CA (US)--.

On page 11, beginning of column 1, change the title to read:

-- DRUG - ELUTING STENT AND METHOD OF MAKING SAME--.

Squire, Sanders & Dempsey LLP  
One Maritime Plaza, Suite 300  
San Francisco, CA 94111

PATENT NO. 7,435,255

No. of additional copies

→ 0

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.